

Description	Diameter		WL		Circ.		WLL	
Rental GROMMETS								
30mm								
Grommer	10x3=30	mm	3000	mm	6000	mm	15,50	ton
36mm								
Grommer	12x3=36	mm	2000	mm	4000	mm	22,00	ton
Grommer	12x3=36	mm	2000	mm	4000	mm	22,00	ton
Grommer	12x3=36	mm	2000	mm	4000	mm	22,00	ton
Grommer	12x3=36	mm	2000	mm	4000	mm	22,00	ton
39mm								
Grommer	13x3=39	mm	1000	mm	2000	mm	25,9	ton
Grommer	13X3=39	mm	1000	mm	2000	mm	25,9	ton
Grommer	13X3=39	mm	1000	mm	2000	mm	25,9	ton
Grommer	13X3=39	mm	1000	mm	2000	mm	25,9	ton
Grommer	13X3=39	mm	1000	mm	2000	mm	25,9	ton
Grommer	13x3=39	mm	2000	mm	4000	mm	25,9	ton
Grommer	13x3=39	mm	5000	mm	10000	mm	25,99	ton
42mm								
Grommer	14x3=42	mm	1000	mm	2000	mm	30	ton
Grommer	14x3=42	mm	1000	mm	2000	mm	30	ton
Grommer	14x3=42	mm	1000	mm	2000	mm	30	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,24	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,24	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,18	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,18	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,18	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,18	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,18	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,18	ton
Grommer	14x3=42	mm	2000	mm	4000	mm	30,18	ton
Grommer	14x3=42	mm	5000	mm	10000	mm	30,18	ton
Grommer	14x3=42	mm	5000	mm	10000	mm	30,18	ton
Grommer	14x3=42	mm	5000	mm	10000	mm	30,18	ton
Grommer	14x3=42	mm	5000	mm	10000	mm	30,18	ton
Grommer	14x3=42	mm	6000	mm	12000	mm	30,24	ton
Grommer	14x3=42	mm	6000	mm	12000	mm	30,24	ton
Grommer	14x3=42	mm	6000	mm	12000	mm	30,24	ton
Grommer	14x3=42	mm	6000	mm	12000	mm	30,24	ton

Grommer	14x3=42	mm	8000	mm	16000	mm	30,18	ton
Grommer	14x3=42	mm	8000	mm	16000	mm	30,18	ton
Grommer	14x3=42	mm	8000	mm	16000	mm	30,18	ton
Grommer	14x3=42	mm	8000	mm	16000	mm	30,18	ton
48mm								
Grommer	16x3=48	mm	6500	mm	13000	mm	39,54	ton
Grommer	16x3=48	mm	6500	mm	13000	mm	39,54	ton
54mm								
Grommer	18X3=54	mm	1000	mm	2000	mm	49,78	ton
Grommer	18X3=54	mm	1000	mm	2000	mm	49,78	ton
Grommer	18X3=54	mm	1000	mm	2000	mm	49,78	ton
Grommer	18X3=54	mm	1000	mm	2000	mm	49,78	ton
Grommer	18X3=54	mm	1000	mm	2000	mm	49,78	ton
Grommer	18X3=54	mm	1000	mm	2000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	1500	mm	3000	mm	49,78	ton
Grommer	18x3=54	mm	2500	mm	5000	mm	49,78	ton
Grommer	18x3=54	mm	2500	mm	5000	mm	49,78	ton
Grommer	18x3=54	mm	2500	mm	5000	mm	49,78	ton
Grommer	18x3=54	mm	2500	mm	5000	mm	49,78	ton
Grommer	18x3=54	mm	5800	mm	11600	mm	50,00	ton
Grommer	18x3=54	mm	5800	mm	11600	mm	50,00	ton
Grommer	18x3=54	mm	5800	mm	11600	mm	50,00	ton
Grommer	18x3=54	mm	5800	mm	11600	mm	50,00	ton
Grommer	18x3=54	mm	6000	mm	12000	mm	49,78	ton
Grommer	18x3=54	mm	6000	mm	12000	mm	49,78	ton
Grommer	18x3=54	mm	6000	mm	12000	mm	49,78	ton
Grommer	18x3=54	mm	6000	mm	12000	mm	49,78	ton
Grommer	18x3=54	mm	12000	mm	24000	mm	49,78	ton
Grommer	18x3=54	mm	12000	mm	24000	mm	49,78	ton
Grommer	18x3=54	mm	12000	mm	24000	mm	49,78	ton
Grommer	18x3=54	mm	12000	mm	24000	mm	49,78	ton

60mm								
Grommer	20x3=60	mm	800	mm	1600	mm	61,5	ton
Grommer	20x3=60	mm	1050	mm	2100	mm	61,56	ton
Grommer	20x3=60	mm	1050	mm	2100	mm	61,56	ton
Grommer	20x3=60	mm	1050	mm	2100	mm	61,56	ton
Grommer	20x3=60	mm	1050	mm	2100	mm	61,56	ton
Grommer	20x3=60	mm	2500	mm	5000	mm	61,45	ton
Grommer	20x3=60	mm	2500	mm	5000	mm	61,45	ton
Grommer	20x3=60	mm	2500	mm	5000	mm	61,45	ton
Grommer	20x3=60	mm	2500	mm	5000	mm	61,45	ton
Grommer	20x3=60	mm	4000	mm	8000	mm	61,45	ton
Grommer	20x3=60	mm	4000	mm	8000	mm	61,45	ton
Grommer	20x3=60	mm	4000	mm	8000	mm	61,45	ton
Grommer	20x3=60	mm	4000	mm	8000	mm	61,45	ton
Grommer	20x3=60	mm	10000	mm	20000	mm	61,45	ton
Grommer	20x3=60	mm	10000	mm	20000	mm	61,45	ton
Grommer	20x3=60	mm	10000	mm	20000	mm	61,45	ton
Grommer	20x3=60	mm	10000	mm	20000	mm	61,45	ton
66mm								
Grommer	22x3=66	mm	1650	mm	3300	mm	76,25	ton
Grommer	22x3=66	mm	1650	mm	3300	mm	76,25	ton
Grommer	22x3=66	mm	1650	mm	3300	mm	76,25	ton
Grommer	22x3=66	mm	1650	mm	3300	mm	76,25	ton
Grommer	22x3=66	mm	5000	mm	10000	mm	76,25	ton
Grommer	22x3=66	mm	5000	mm	10000	mm	76,25	ton
Grommer	22x3=66	mm	5000	mm	10000	mm	76,25	ton
Grommer	22x3=66	mm	5000	mm	10000	mm	76,25	ton
Grommer	22x3=66	mm	7000	mm	14000	mm	76,25	ton
Grommer	22x3=66	mm	7000	mm	14000	mm	76,25	ton
Grommer	22x3=66	mm	7000	mm	14000	mm	76,25	ton
Grommer	22x3=66	mm	7000	mm	14000	mm	76,25	ton
Grommer	22x3=66	mm	9000	mm	18000	mm	76,25	ton
Grommer	22x3=66	mm	9000	mm	18000	mm	76,25	ton
Grommer	22x3=66	mm	9000	mm	18000	mm	76,25	ton
Grommer	22x3=66	mm	9000	mm	18000	mm	76,25	ton
Grommer	22x3=66	mm	10400	mm	20800	mm	74,52	ton
Grommer	22x3=66	mm	10400	mm	20800	mm	74,52	ton
72mm								
Grommer	24x3=72	mm	1000	mm	2000	mm	93,2	ton

[illegible]

Grommer	28x3=84	mm	2000	mm	3500	mm	120,48	ton
Grommer	28x3=84	mm	2000	mm	3500	mm	120,48	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	125,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	125,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	125,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	125,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	125,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	134,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	134,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	134,00	ton
Grommer	28x3=84	mm	4000	mm	8000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	6000	mm	12000	mm	134,00	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	133,82	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	100,00	ton
Grommer	28x3=84	mm	8000	mm	16000	mm	100,00	ton
Grommer	28x3=84	mm	12000	mm	24000	mm	134,00	ton
Grommer	28x3=84	mm	12000	mm	24000	mm	134,00	ton
Grommer	28x3=84	mm	12000	mm	24000	mm	134,00	ton
Grommer	28x3=84	mm	12000	mm	24000	mm	134,00	ton
Grommer	28x3=84	mm	30000	mm	60000	mm	100,00	ton
Grommer	28x3=84	mm	30000	mm	60000	mm	100,00	ton
Grommer	28x3=84	mm	30000	mm	60000	mm	100,00	ton
Grommer	28x3=84	mm	30000	mm	60000	mm	100,00	ton
90mm								
Grommer	30x3=90	mm	1890	mm	3780	mm	138,24	ton

Grommer	32x3=96	mm	4000	mm	8000	mm	186,00	ton
Grommer	32x3=96	mm	4000	mm	8000	mm	186,00	ton
Grommer	32x3=96	mm	4000	mm	8000	mm	186,00	ton
Grommer	32x3=96	mm	4000	mm	8000	mm	186,00	ton
Grommer	32x3=96	mm	6000	mm	12000	mm	186,00	ton
Grommer	32x3=96	mm	6000	mm	12000	mm	186,00	ton
Grommer	32x3=96	mm	6000	mm	12000	mm	186,00	ton
Grommer	32x3=96	mm	6000	mm	12000	mm	186,00	ton
Grommer	32x3=96	mm	8000	mm	16000	mm	186,00	ton
Grommer	32x3=96	mm	8000	mm	16000	mm	186,00	ton
Grommer	32x3=96	mm	8000	mm	16000	mm	186,00	ton
Grommer	32x3=96	mm	8000	mm	16000	mm	186,00	ton
Grommer	32x3=96	mm	12000	mm	24000	mm	186,00	ton
Grommer	32x3=96	mm	12000	mm	24000	mm	186,00	ton
Grommer	32x3=96	mm	12000	mm	24000	mm	186,00	ton
Grommer	32x3=96	mm	12000	mm	24000	mm	186,00	ton
102mm								
Grommer	34x3=102	mm	3000	mm	6000	mm	216,00	ton
Grommer	34x3=102	mm	3000	mm	6000	mm	216,00	ton
Grommer	34x3=102	mm	3000	mm	6000	mm	216,00	ton
Grommer	34x3=102	mm	3000	mm	6000	mm	216,00	ton
Grommer	34x3=102	mm	6000	mm	12000	mm	216,00	ton
Grommer	34x3=102	mm	6000	mm	12000	mm	216,00	ton
Grommer	34x3=102	mm	6000	mm	12000	mm	216,00	ton
Grommer	34x3=102	mm	6000	mm	12000	mm	216,00	ton
Grommer	34x3=102	mm	5000	mm	10000	mm		ton
Grommer	34x3=102	mm	5000	mm	10000	mm		ton
Grommer	34x3=102	mm	5000	mm	10000	mm		ton
Grommer	34x3=102	mm	6500	mm	13000	mm		ton
Grommer	34x3=102	mm	6500	mm	13000	mm		ton
Grommer	34x3=102	mm	6750	mm	13500	mm		ton
Grommer	34x3=102	mm	6750	mm	13500	mm		ton
Grommet	34x3=102	mm	10000	mm	20000	mm	217,30	ton
Grommet	34x3=102	mm	10000	mm	20000	mm	217,30	ton
Grommet	34x3=102	mm	10000	mm	20000	mm	217,30	ton
Grommet	34x3=102	mm	10000	mm	20000	mm	217,30	ton
108mm								
Grommer	36x3=108	mm	2250	mm	4500	mm	252,32	ton
Grommer	36x3=108	mm	2250	mm	4500	mm	252,32	ton
Grommer	36x3=108	mm	2250	mm	4500	mm	252,32	ton

Grommer	36x3=108	mm	2250	mm	4500	mm	252,32	ton
Grommer	36x3=108	mm	2268	mm	4536	mm	252,30	ton
Grommer	36x3=108	mm	2268	mm	4536	mm	252,30	ton
Grommer	36x3=108	mm	2268	mm	4536	mm	252,30	ton
Grommer	36x3=108	mm	2268	mm	4536	mm	252,30	ton
Grommer	36x3=108	mm	2268	mm	4536	mm	252,30	ton
Grommer	36x3=108	mm	2600	mm	5200	mm	252,30	ton
Grommer	36x3=108	mm	2600	mm	5200	mm	252,30	ton
Grommer	36x3=108	mm	2600	mm	5200	mm	252,30	ton
Grommer	36x3=108	mm	2600	mm	5200	mm	252,30	ton
Grommer	36x3=108	mm	3000	mm	6000	mm	252,30	ton
Grommer	36x3=108	mm	3000	mm	6000	mm	252,30	ton
Grommer	36x3=108	mm	4000	mm	8000	mm	252,30	ton
Grommer	36x3=108	mm	4000	mm	8000	mm	252,30	ton
Grommer	36x3=108	mm	4000	mm	8000	mm	252,30	ton
Grommer	36x3=108	mm	4000	mm	8000	mm	252,30	ton

Note: the lengths do not match between the two sets.

Grommer	36x3=108	mm	4000	mm	8000	mm	251,79	ton
Grommer	36x3=108	mm	4000	mm	8000	mm	251,79	ton
Grommer	36x3=108	mm	4000	mm	8000	mm	251,79	ton
Grommer	36x3=108	mm	4000	mm	8000	mm	251,79	ton
Grommer	36x3=108	mm	5000	mm	10000	mm	252,30	ton
Grommer	36x3=108	mm	5000	mm	10000	mm	252,30	ton
Grommer	36x3=108	mm	5000	mm	10000	mm	252,30	ton
Grommer	36x3=108	mm	5000	mm	10000	mm	252,30	ton

Note: the lengths do not match between the two sets.

Grommer	36x3=108	mm	5000	mm	10000	mm	252,30	ton
Grommer	36x3=108	mm	5000	mm	10000	mm	252,30	ton
Grommer	36x3=108	mm	5000	mm	10000	mm	252,30	ton
Grommer	36x3=108	mm	5100	mm	10200	mm		
Grommer	36x3=108	mm	5100	mm	10200	mm		
Grommer	36x3=108	mm	6000	mm	12000	mm	252,30	ton
Grommer	36x3=108	mm	6000	mm	12000	mm	252,30	ton
Grommer	36x3=108	mm	6000	mm	12000	mm	252,30	ton
Grommer	36x3=108	mm	6000	mm	12000	mm	252,30	ton
Grommer	36x3=108	mm	6000	mm	12000	mm	252,30	ton
Grommer	36x3=108	mm	7000	mm	14000	mm	252,30	ton
Grommer	36x3=108	mm	7000	mm	14000	mm	252,30	ton
Grommer	36x3=108	mm	7000	mm	14000	mm	252,30	ton
Grommer	36x3=108	mm	7000	mm	14000	mm	252,30	ton

Grommer	36x3=108	mm	8000	mm	16000	mm	252,32	ton
Grommer	36x3=108	mm	8000	mm	16000	mm	252,32	ton
Grommer	36x3=108	mm	8000	mm	16000	mm	252,32	ton
Grommer	36x3=108	mm	8000	mm	16000	mm	252,32	ton
Grommer	36x3=108	mm	8300	mm	16600	mm	252,30	ton
Grommer	36x3=108	mm	8300	mm	16600	mm	252,30	ton
Grommer	36x3=108	mm	8300	mm	16600	mm	252,30	ton
Grommer	36x3=108	mm	8300	mm	16600	mm	252,30	ton
Grommer	36x3=108	mm	8300	mm	16600	mm	252,30	ton
Grommer	36x3=108	mm	8600	mm	17200	mm		
Grommer	36x3=108	mm	8600	mm	17200	mm		
Grommer	36x3=108	mm	10000	mm	20000	mm	252,30	ton
Grommer	36x3=108	mm	10000	mm	20000	mm	252,30	ton
Grommer	36x3=108	mm	10000	mm	20000	mm	252,30	ton
Grommer	36x3=108	mm	10000	mm	20000	mm	252,30	ton
Grommer	36x3=108	mm	12000	mm	24000	mm	252,30	ton
Grommer	36x3=108	mm	12000	mm	24000	mm	252,30	ton
Grommer	36x3=108	mm	12000	mm	24000	mm	252,30	ton
Grommer	36x3=108	mm	12000	mm	24000	mm	252,30	ton
Grommer	36x3=108	mm	13600	mm	27200	mm	251.79	ton
Grommer	36x3=108	mm	13600	mm	27200	mm	251.79	ton
Grommer	36x3=108	mm	14200	mm	28400	mm	251.79	ton
Grommer	36x3=108	mm	14200	mm	28400	mm	251.79	ton
Grommer	36x3=108	mm	16000	mm	32000	mm	252,30	ton
Grommer	36x3=108	mm	16000	mm	32000	mm	252,30	ton
Grommer	36x3=108	mm	16000	mm	32000	mm	252,30	ton
Grommer	36x3=108	mm	16000	mm	32000	mm	252,30	ton
Grommer	36x3=108	mm	16858	mm	33716	mm	251.79	ton
Grommer	36x3=108	mm	16858	mm	33716	mm	251.79	ton
Grommer	36x3=108	mm	17300	mm	34600	mm		
Grommer	36x3=108	mm	17300	mm	34600	mm		
Grommer	36x3=108	mm	17654	mm	35308	mm	251.79	ton
Grommer	36x3=108	mm	17654	mm	35305	mm	251.79	ton
Grommer	36x3=108	mm	20000	mm	40000	mm	252,30	ton
Grommer	36x3=108	mm	20000	mm	40000	mm	252,30	ton
Grommer	36x3=108	mm	20000	mm	40000	mm	252,30	ton

Grommer	36x3=108	mm	20000	mm	40000	mm	252,30	ton
Grommer	36x3=108	mm	24000	mm	48000	mm	252,30	ton
Grommer	36x3=108	mm	24000	mm	48000	mm	252,30	ton
Grommer	36x3=108	mm	24000	mm	48000	mm	252,30	ton
Grommer	36x3=108	mm	24000	mm	48000	mm	252,30	ton
Grommer	36x3=108	mm	30000	mm	60000	mm	252,30	ton
Grommer	36x3=108	mm	30000	mm	60000	mm	252,30	ton
Grommer	36x3=108	mm	30000	mm	60000	mm	252,30	ton
Grommer	36x3=108	mm	30000	mm	60000	mm	252,30	ton
114mm								
Grommer	38x3=114	mm	6400	mm	12800	mm		
Grommer	38x3=114	mm	6400	mm	12800	mm		
Grommer	38x3=114	mm	8700	mm	17400	mm		
Grommer	38x3=114	mm	8700	mm	17400	mm		
126mm								
Grommer	42x3=126	mm	2250	mm	4500	mm		
Grommer	42x3=126	mm	2250	mm	4500	mm		
Grommer	42x3=126	mm	4900	mm	9700	mm		
Grommer	42x3=126	mm	4900	mm	9700	mm		
Grommer	42x3=126	mm	8000	mm	16000	mm	381,00	ton
Grommer	42x3=126	mm	8000	mm	16000	mm	381,00	ton
Grommer	42x3=126	mm	8000	mm	16000	mm	381,00	ton
Grommer	42x3=126	mm	8000	mm	16000	mm	381,00	ton
Grommer	42x3=126	mm	15000	mm	30000	mm	381,00	ton
Grommer	42x3=126	mm	15000	mm	30000	mm	381,00	ton
Grommer	42x3=126	mm	15000	mm	30000	mm	381,00	ton
Grommer	42x3=126	mm	15000	mm	30000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
Grommer	42x3=126	mm	20000	mm	40000	mm	381,00	ton
132mm								
Grommer	44x3=132	mm	2300	mm	5460	mm	433.96	ton
Grommer	44x3=132	mm	2300	mm	5460	mm	433.96	ton
Grommer	44x3=132	mm	2300	mm	5460	mm	433.96	ton

Grommer	44x3=132	mm	2300	mm	5460	mm	433.96	ton
Grommer	44x3=132	mm	2800	mm	5600	mm	434,00	ton
Grommer	44x3=132	mm	2800	mm	5600	mm	434,00	ton
Grommer	44x3=132	mm	3550	mm	7100	mm		ton
Grommer	44x3=132	mm	3550	mm	7100	mm		ton
Grommer	44x3=132	mm	4000	mm	8000	mm	434,00	ton
Grommer	44x3=132	mm	4000	mm	8000	mm	434,00	ton
Grommer	44x3=132	mm	4000	mm	8000	mm	434,00	ton
Grommer	44x3=132	mm	4000	mm	8000	mm	434,00	ton
Grommer	44x3=132	mm	4080	mm	8160	mm	434,00	ton
Grommer	44x3=132	mm	4080	mm	8160	mm	434,00	ton
Grommer	44x3=132	mm	6000	mm	12000	mm	434,00	ton
Grommer	44x3=132	mm	6000	mm	12000	mm	434,00	ton
Grommer	44x3=132	mm	6000	mm	12000	mm	434,00	ton
Grommer	44x3=132	mm	6000	mm	12000	mm	434,00	ton
Grommer	44x3=132	mm	6350	mm	12700	mm	1552.29	ton
Grommer	44x3=132	mm	6500	mm	13000	mm	1552.29	ton
Grommer	44x3=132	mm	6500	mm	13000	mm	1552.29	ton
Grommer	44x3=132	mm	6650	mm	13300	mm	1552.29	ton
Grommer	44x3=132	mm	7000	mm	14000	mm	434,00	ton
Grommer	44x3=132	mm	7000	mm	14000	mm	434,00	ton
Grommer	44x3=132	mm	7000	mm	14000	mm	434,00	ton
Grommer	44x3=132	mm	7000	mm	14000	mm	434,00	ton
Grommer	44x3=132	mm	7225	mm	14450	mm	434,00	ton
Grommer	44x3=132	mm	7225	mm	14450	mm	434,00	ton
Grommer	44x3=132	mm	8600	mm	17200	mm	1552.29	ton
Grommer	44x3=132	mm	9000	mm	18000	mm	1552.29	ton
Grommer	44x3=132	mm	10000	mm	20.860	mm	433,96	ton
Grommer	44x3=132	mm	10000	mm	20.860	mm	433,96	ton
Grommer	44x3=132	mm	10000	mm	20.860	mm	433,96	ton
Grommer	44x3=132	mm	10000	mm	20.860	mm	433,96	ton
138mm								
Grommer	46x3=138	mm	15000	mm	30820	mm	496,45	ton
Grommer	46x3=138	mm	15000	mm	30820	mm	496,45	ton

144mm								
Grommer	48x3=144	mm	4000	mm	8000	mm	560,75	ton
Grommer	48x3=144	mm	4000	mm	8000	mm	560,75	ton
Grommer	48x3=144	mm	4000	mm	8000	mm		ton
Grommer	48x3=144	mm	4000	mm	8000	mm		ton
Grommer	48x3=144	mm	4000	mm	8000	mm	560,75	ton
Grommer	48x3=144	mm	4000	mm	8000	mm	560,75	ton
Grommer	48x3=144	mm	4000	mm	8000	mm	560,75	ton
Grommer	48x3=144	mm	4000	mm	8000	mm	560,75	ton
Grommer	48x3=144	mm	6000	mm	12000	mm	560,75	ton
Grommer	48x3=144	mm	6000	mm	12000	mm	560,75	ton
Grommer	48x3=144	mm	6000	mm	12000	mm	560,75	ton
Grommer	48x3=144	mm	6000	mm	12000	mm	560,75	ton
Grommer	48x3=144	mm	9000	mm	18000	mm		ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	10000	mm	20000	mm	560,75	ton
Grommer	48x3=144	mm	14.050	mm	28965	mm	560,74	ton
Grommer	48x3=144	mm	14.050	mm	28965	mm	560,74	ton
Grommer	48x3=144	mm	15000	mm	30000	mm	560,75	ton
Grommer	48x3=144	mm	15000	mm	30000	mm	560,75	ton
Grommer	48x3=144	mm	15000	mm	30000	mm	560,75	ton
Grommer	48x3=144	mm	15000	mm	30000	mm	560,75	ton
Grommer	48x3=144	mm	15000	mm	30000	mm	560,75	ton
Grommer	48x3=144	mm	15000	mm	30000	mm	560,75	ton
Grommer	48x3=144	mm	15750	mm	31500	mm		
Grommer	48x3=144	mm	15750	mm	31500	mm		
156mm								
Grommer	52x3=156	mm	4000	mm	8000	mm	693,66	ton
Grommer	52x3=156	mm	4000	mm	8000	mm	693,66	ton
Grommer	52x3=156	mm	4000	mm	8000	mm	693,66	ton
Grommer	52x3=156	mm	4000	mm	8000	mm	693,66	ton

Grommer	52x3=156	mm	4368	mm	8736	mm	650,00	ton
Grommer	52x3=156	mm	4368	mm	8736	mm	650,00	ton
Grommer	52x3=156	mm	6000	mm	12000	mm	693,66	ton
Grommer	52x3=156	mm	6000	mm	12000	mm	693,66	ton
Grommer	52x3=156	mm	6000	mm	12000	mm	693,66	ton
Grommer	52x3=156	mm	6000	mm	12000	mm	693,66	ton
Grommer	52x3=156	mm	7500	mm	15000	mm		ton
Grommer	52x3=156	mm	7500	mm	15000	mm		ton
Grommer	52x3=156	mm	7500	mm	15000	mm		ton
Grommer	52x3=156	mm	7500	mm	15000	mm		ton
Grommer	52x3=156	mm	8000	mm	16000	mm	693,66	ton
Grommer	52x3=156	mm	8000	mm	16000	mm	693,66	ton
Grommer	52x3=156	mm	8000	mm	16000	mm	693,66	ton
Grommer	52x3=156	mm	8000	mm	16000	mm	693,66	ton
Grommer	52x3=156	mm	8600	mm	17200	mm		ton
Grommer	52x3=156	mm	12000	mm	24000	mm	693,66	ton
Grommer	52x3=156	mm	12000	mm	24000	mm	693,66	ton
Grommer	52x3=156	mm	12000	mm	24000	mm	693,66	ton
Grommer	52x3=156	mm	12000	mm	24000	mm	693,66	ton
Grommer	52x3=156	mm	13215	mm	26430	mm	774,00	ton
Grommer	52x3=156	mm	13215	mm	26430	mm	774,00	ton
Grommer	52x3=156	mm	17500	mm	35000	mm	693,67	ton
Grommer	52x3=156	mm	17500	mm	35000	mm	693,67	ton
Grommer	52x3=156	mm	17500	mm	35000	mm	693,67	ton
Grommer	52x3=156	mm	17500	mm	35000	mm	693,67	ton
Grommer	52x3=156	mm	17500	mm	35080	mm	7742,00	ton
Grommer	52x3=156	mm	17500	mm	35080	mm	7743,00	ton
Grommer	52x3=156	mm	17500	mm	35080	mm	7744,00	ton
Grommer	52x3=156	mm	17500	mm	35080	mm	7745,00	ton
Grommer	52x3=156	mm	19500	mm	39000	mm	781,88	ton
Grommer	52x3=156	mm	19500	mm	39000	mm	781,88	ton
174mm								
Grommer	58x3=174	mm	5915	mm	11830	mm	700,00	ton
Grommer	58x3=174	mm	5915	mm	11830	mm	700,00	ton
Grommer	58x3=174	mm	10.000	mm	21.121	mm		
Grommer	58x3=174	mm	10.000	mm	21.121	mm		
Grommer	58x3=174	mm	10.000	mm	21.121	mm		
Grommer	58x3=174	mm	10.000	mm	21.121	mm		

Grommer	58x3=174	mm	12.290	mm	25.495	mm	862,68	ton
Grommer	58x3=174	mm	12.290	mm	25.495	mm	862,68	ton
Grommer	58x3=174	mm	20.000	mm	41.089	mm		
Grommer	58x3=174	mm	20.000	mm	41.089	mm		
Grommer	58x3=174	mm	20.000	mm	41.089	mm		
Grommer	58x3=174	mm	20.000	mm	41.089	mm		
192mm								
Grommer	64x3=192	mm	13.800	mm	28.617	mm	1049,90	ton
Grommer	64x3=192	mm	13.800	mm	28.617	mm	1049,90	ton
231mm								
Grommer	77x3 =231	mm	12.000	mm	25,51	mtr		
Grommer	77x3 =231	mm	12.000	mm	25,51	mtr		
Grommer	77x3 =231	mm	12.000	mm	25,51	mtr		
Grommer	77x3 =231	mm	12.000	mm	25,51	mtr		
Grommer	77x3 =231	mm	25.000	mm	51,51	mtr		
Grommer	77x3 =231	mm	25.000	mm	51,51	mtr		
Grommer	77x3 =231	mm	25.000	mm	51,51	mtr		
Grommer	77x3 =231	mm	25.000	mm	51,51	mtr		

MBL		Gewicht
77,5	ton	
110	ton	
110	ton	
110	ton	
110	ton	
1274,4	kN	
1274,4	kN	
1274,4	kN	
1274,4	kN	
1274,4	kN	
1274,4	kN	
1274,4	kN	
150	ton	
150	ton	
150	ton	
	ton	
	ton	
150,9	ton	25 kg
150,9	ton	25 kg
150,9	ton	25 kg
150,9	ton	25 kg
150,9	ton	25 kg
150,9	ton	25 kg
150,9	ton	25 kg
150,9	ton	61,5 kg
150,9	ton	61,5 kg
150,9	ton	61,5 kg
150,9	ton	61,5 kg
	ton	
	ton	
	ton	
	ton	

150,9	ton	100 kg
150,9	ton	100 kg
150,9	ton	100 kg
150,9	ton	100 kg
197,7	ton	
197,7	ton	
248,89	ton	
248,89	ton	
248,89	ton	
248,89	ton	
248,89	ton	
248,89	ton	
248,89	ton	35 kg
248,89	ton	35 kg
248,89	ton	35 kg
248,89	ton	35 kg
248,89	ton	35 kg
248,89	ton	35 kg
248,89	ton	35 kg
248,89	ton	35 kg
248,89	ton	55,00 kg
248,89	ton	55,00 kg
248,89	ton	55,00 kg
248,89	ton	55,00 kg
250	ton	
250	ton	
250	ton	
250	ton	
248,89	ton	127,00 kg
248,89	ton	127,00 kg
248,89	ton	127,00 kg
248,89	ton	127,00 kg
248,89	ton	249,00 kg
248,89	ton	249,00 kg
248,89	ton	249,00 kg
248,89	ton	249,00 kg

307,8	ton	
307,8	ton	
307,8	ton	
307,8	ton	
307,8	ton	
307,26	ton	68,00 kg
307,26	ton	68,00 kg
307,26	ton	68,00 kg
307,26	ton	68,00 kg
307,26	ton	106,00 kg
307,26	ton	106,00 kg
307,26	ton	106,00 kg
307,26	ton	106,00 kg
307,26	ton	255 kg
307,26	ton	255 kg
307,26	ton	255 kg
307,26	ton	255 kg
372,24	ton	50,00 kg
372,24	ton	50,00 kg
372,24	ton	50,00 kg
372,24	ton	50,00 kg
372,24	ton	160 kg
372,24	ton	160 kg
372,24	ton	160 kg
372,24	ton	160 kg
372,24	ton	221 kg
372,24	ton	221 kg
372,24	ton	221 kg
372,24	ton	221 kg
372,24	ton	281 kg
372,24	ton	281 kg
372,24	ton	281 kg
372,24	ton	281 kg
	ton	
	ton	
442,72	ton	37,00 kg

442,72	ton	37,00 kg
442,72	ton	37,00 kg
442,72	ton	37,00 kg
442,72	ton	
442,72	ton	
442,72	ton	117,00 kgs
442,72	ton	117,00 kgs
442,72	ton	117,00 kgs
442,72	ton	117,00 kgs
442,72	ton	117,00 kgs
442,72	ton	117,00 kgs
442,72	ton	117,00 kgs
442,72	ton	117,00 kgs
442,72	ton	116,6 kg
442,72	ton	116,6 kg
442,72	ton	116,6 kg
442,72	ton	116,6 kg
442,72	ton	189 kg
442,72	ton	189 kg
442,72	ton	189 kg
442,72	ton	189 kg
442,72	ton	299 kg
442,72	ton	299 kg
442,72	ton	299 kg
442,72	ton	299 kg
442,72	ton	371
442,72	ton	371
442,72	ton	371
442,72	ton	371
442,72	ton	550
442,72	ton	550
442,72	ton	550
442,72	ton	550
602,41	ton	87,00 kg
602,41	ton	87,00 kg
602,41	ton	87,00 kg
602,41	ton	87,00 kg
602,41	ton	113,00 kg
602,41	ton	113,00 kg

602,41	ton	113,00 kg
602,41	ton	113,00 kg
562,5	ton	215,00 kg
562,5	ton	215,00 kg
562,5	ton	215,00 kg
562,5	ton	215,00 kg
562,5	ton	215,00 kg
602,41	ton	212,00 kg
602,41	ton	212,00 kg
602,41	ton	212,00 kg
602,41	ton	212,00 kg
602,41	ton	310,00 kg
602,41	ton	310,00 kg
602,41	ton	310,00 kg
602,41	ton	310,00 kg
602,41	ton	310,00 kg
602,41	ton	310,00 kg
602,41	ton	310,00 kg
602,41	ton	310,00 kg
602,19	ton	
602,19	ton	
602,19	ton	
602,19	ton	
602,19	ton	409 kg
602,19	ton	409 kg
602,19	ton	409 kg
602,19	ton	409 kg
419	ton	
419	ton	
600,32	ton	
600,32	ton	
600,32	ton	
600,32	ton	
419	ton	1476 kg
419	ton	1477 kg
419	ton	1478 kg
419	ton	1476 kg
	ton	

	ton	
691,61	ton	189,00 kg
691,61	ton	189,00 kg
691,61	ton	189,00 kg
691,61	ton	189,00 kg
477,6	ton	212 KG
477,6	ton	213 KG
477,6	ton	214 KG
477,6	ton	215 KG
691,61	ton	243,00 kg
691,61	ton	243,00 kg
691,61	ton	243,00 kg
691,61	ton	243,00 kg
691,61	ton	
691,61	ton	
691,61	ton	
691,61	ton	
691,61	ton	
691,61	ton	
691,61	ton	
691,61	ton	
653	ton	
653	ton	
653	ton	
653	ton	
691,61	ton	471,00 kg
691,61	ton	471,00 kg
691,61	ton	471,00 kg
691,61	ton	471,00 kg
691,61	ton	581 kg
691,61	ton	581 kg
691,61	ton	581 kg
691,61	ton	581 kg
691,61	ton	863,00 kg
691,61	ton	863,00 kg
691,61	ton	863,00 kg
691,61	ton	863,00 kg

787,42	ton	358,00 kg
787,42	ton	358,00 kg
787,42	ton	358,00 kg
787,42	ton	358,00 kg
787,42	ton	405,00 kg
787,42	ton	405,00 kg
787,42	ton	405,00 kg
787,42	ton	405,00 kg
787,42	ton	533,00 kg
787,42	ton	533,00 kg
787,42	ton	533,00 kg
787,42	ton	533,00 kg
787,42	ton	790,00 kg
787,42	ton	790,00 kg
787,42	ton	790,00 kg
787,42	ton	790,00 kg

--	--	--

888,74	ton	241,00 kg
888,74	ton	241,00 kg
888,74	ton	241,00 kg
888,74	ton	241,00 kg
888,74	ton	459,00 kg
888,74	ton	459,00 kg
888,74	ton	459,00 kg
888,74	ton	459,00 kg
839	ton	
839	ton	
839	ton	
839	ton	
839	ton	

839	ton	
839	ton	

		750 kg
		750 kg
		750 kg
		750 kg

--	--	--

	ton	210
	ton	210
	ton	210

	ton	210
994,062	ton	215,00 kg
994,062	ton	215,00 kg
994,062	ton	215,00 kg
994,062	ton	215,00 kg
994,062	ton	215,00 kg
996,67	ton	237 kg
996,67	ton	237 kg
996,67	ton	237 kg
996,67	ton	237 kg
994,062	ton	
994,062	ton	
995,57	ton	310,00 kg
995,57	ton	310,00 kg
995,57	ton	310,00 kg
995,57	ton	310,00 kg
995,57	ton	310 kg
995,57	ton	310 kg
995,57	ton	310 kg
995,57	ton	310 kg
996,67	ton	433 kg
996,67	ton	433 kg
996,67	ton	433 kg
996,67	ton	433 kg
994,062	ton	435,00 kg
994,062	ton	435,00 kg
994,062	ton	435,00 kg
997	ton	
997	ton	
995,57	ton	521,00 kg
995,57	ton	521,00 kg
995,57	ton	521,00 kg
1039,82	ton	521,00 kg
1089,82	ton	521,00 kg
996,67	ton	596 kg
996,67	ton	596 kg
996,67	ton	596 kg
996,67	ton	596 kg

	ton	677 kg
	ton	677 kg
	ton	677 kg
	ton	677 kg
994,062	ton	704,00 kg
994,062	ton	704,00 kg
994,062	ton	704,00 kg
994,062	ton	704,00 kg
994,062	ton	704,00 kg
997	ton	659,00 kg
997	ton	659,00 kg
996,67	ton	841 kg
996,67	ton	841 kg
996,67	ton	841 kg
996,67	ton	841 kg
996,67	ton	1009,00 kg
996,67	ton	1009,00 kg
996,67	ton	1009,00 kg
996,67	ton	1009,00 kg
	ton	
1040	ton	1081 kg
1040	ton	1081 kg
1040	ton	1129 kg
1040	ton	1129 kg
996,67	ton	1334,00 kg
996,67	ton	1334,00 kg
996,67	ton	1334,00 kg
996,67	ton	1334,00 kg
1040	ton	1341 kg
1040	ton	1341 kg
997	ton	
997	ton	
1040	ton	1404 kg
1040	ton	1404 kg
996,67	ton	1652 kg
996,67	ton	1652 kg
996,67	ton	1652 kg

996,67	ton	1652 kg
996,67	ton	1980 kg
996,67	ton	1980 kg
996,67	ton	1980 kg
996,67	ton	1980 kg
996,67	ton	2466 kg
996,67	ton	2466 kg
996,67	ton	2466 kg
996,67	ton	2466 kg
1110	ton	
1110	ton	

1110	ton	
1110	ton	
1357	ton	
1357	ton	

1357	ton	
1357	ton	

1356 ton		930 kg
1356 ton		930 kg
1356 ton		930 kg
1356 ton		930 kg
1356 ton		1704 kg
1356 ton		1704 kg
1356 ton		1704 kg
1356 ton		1704 kg
1354,59	ton	2264,00 kg
1354,59	ton	2264,00 kg
1354,59	ton	2264,00 kg
1354,59	ton	2264,00 kg
1354,59	ton	2264,00 kg
1354,59	ton	2264,00 kg
1354,59	ton	2264,00 kg
1354,59	ton	2264,00 kg
1678	ton	324 kg
1678	ton	324 kg
1678	ton	324 kg

1678	ton	324 kg
1488,95	ton	334,00 kg
1488,95	ton	334,00 kg
1489	ton	422 kg
1489	ton	422 kg
1488,95	ton	535,00 kg
1488,95	ton	535,00 kg
1488,95	ton	535,00 kg
1488,95	ton	535,00 kg
1488,95	ton	486,00 kg
1488,95	ton	486,00 kg
1519	ton	788,00 kg
1519	ton	788,00 kg
1519	ton	788,00 kg
1519	ton	788,00 kg
1489	ton	
1489	ton	
1489	ton	
1489	ton	
1488,95	ton	912 kg
1488,95	ton	912 kg
1488,95	ton	912 kg
1488,95	ton	912 kg
1488,95	ton	861,00 kg
1488,95	ton	861,00 kg
1489	ton	
1489	ton	
1487	ton	1239kg
1487	ton	1239kg
1487	ton	1239kg
1487	ton	1239kg
1539	ton	2244,00 kg
1539	ton	2244,00 kg

	ton	
	ton	
1772	ton	564.26 kgs
1772	ton	564.26 kgs
1171,98	ton	648 kg
1171,98	ton	648 kg
1171,98	ton	648 kg
1171,98	ton	648 kg
1771,98	ton	950 kg
1771,98	ton	950 kg
1771,98	ton	950 kg
1771,98	ton	950 kg
///	ton	1231.84 kgs
1771,98	ton	1519 kg
1771,98	ton	1519 kg
1771,98	ton	1519 kg
1771,98	ton	1519 kg
1771,98	ton	1512 kg
1771,98	ton	1512 kg
1771,98	ton	1512 kg
1771,98	ton	1512 kg
	ton	1935,46 kg
	ton	1935,46 kg
1773	ton	2170 kg
1773	ton	2170 kg
1773	ton	2170 kg
1773	ton	2170 kg
1773	ton	2170 kg
1773	ton	2170 kg
		2416 kg
		2416 kg
2081	ton	722,00 kg
2081	ton	722,00 kg
2081	ton	722,00 kg
2081	ton	722,00 kg

	ton	
	ton	
2081	ton	1110,00 kg
2081	ton	1110,00 kg
2081	ton	1110,00 kg
2081	ton	1110,00 kg
2364	ton	1217.89
2365	ton	1217.89
2366	ton	1217.89
2367	ton	1217.89
2081	ton	1450,00 kg
2081	ton	1450,00 kg
2081	ton	1450,00 kg
2081	ton	1450,00 kg
2366	ton	1455.2 kgs
2081	ton	2128,00 kg
2081	ton	2128,00 kg
2081	ton	2128,00 kg
2081	ton	2128,00 kg
2322	ton	2340,00 kg
2322	ton	2340,00 kg
2081	ton	2967 kg
2081	ton	2967 kg
2081	ton	2967 kg
2081	ton	2967 kg
2322,6	ton	2986 kg
2322,6	ton	2986 kg
2322,6	ton	2986 kg
2322,6	ton	2986 kg
2492,88	ton	3450,00 kg
2492,88	ton	3450,00 kg
2588,04	ton	1224,00 kg
2588,04	ton	1224,00 kg
3044,795	ton	2178,39 kg
3044,795	ton	2178,39 kg
3044,795	ton	2178,39 kg
3044,795	ton	2178,39 kg

	ton	2492,13 kg
	ton	2492,13 kg
3044,795	ton	4242,24 kg
3044,795	ton	4242,24 kg
3044,795	ton	4242,24 kg
3044,795	ton	4242,24 kg
	ton	3394.15 kg
	ton	3394.15 kg
5242	Mt	4970 kg
5242	Mt	4970 kg
5242	Mt	4970 kg
5242	Mt	4970 kg
5242	Mt	10040 kg
5242	Mt	10040 kg
5242	Mt	10040 kg
5242	Mt	10040 kg